

DAFTAR PUSTAKA

- Aarya, S., Kumar, Y., & Chahota, R. K. (2020). Recent Advances in Materials, Parameters, Performance and Technology in Ammonia Sensors: A Review. *Journal of Inorganic and Organometallic Polymers and Materials*, 30(2), 269–290. <https://doi.org/10.1007/s10904-019-01208-x>
- Aini, N., et al. (2019). Peningkatan Produktivitas Kerja Melalui Penerapan Program K3 Di Lingkungan Konstruksi. *Bangun Rekaprima*, 5(1), 1–12. <https://doi.org/10.32497/bangunrekaprima.v5i1.1404>
- Aliaxis, I. (2020). *Double Containment Piping Systems*.
- Alijoyo, A., Wijaya, Q. B., & Jacob, I. (2020). Failure Mode Effect Analysis Analisis Modus Kegagalan dan Dampak RISK. In *CRMS (Center for Risk Management Studies)*. Center for Risk Management Studies. www.lspmks.co.id
- Andriyanto, A., & Ega Anggraini Putri, Y. (2021). Analisis Penyebab Kegagalan Pengiriman Barang Project 247 Atau Jenis Sxq Pada Divisi Operation Airfreight PT.Cipta Krida Bahari Dengan Metode *Failure Mode and Effect Analysis* (FMEA) Dan *Fault Tree Analysis* (FTA). *Jurnal Logistik Bisnis*, 11(1), 7–13. <https://doi.org/10.46369/logistik.v11i1.1372>
- Apriani, M., et al. (2016). Failure Risk and Basic Cause Analysis of Ammonia Storage Tank Leakage. *Jurnal Purifikasi*, 16(2), 102–110.
- Ardhiansah, A. D., & Tranggono. (2025). Optimalisasi Program K3 di Area Gudang Penyimpanan Melalui Pendekatan HIRADC Pada PT XYZ. *Jurnal Serambi Engineering*, X(1), 11976–11985.

- Arifudin, O., Wahrudin, U., & Rusmana, F. D. (2020). Manajemen Risiko. In *Widina Bhakti Persada Bandung*. Widina Bhakti Persada Bandung.
- Bhowmik, P. K., & Sabharwall, P. (2024). Sizing and Selection of Pressure Relief Valves for High-Pressure Thermal–Hydraulic Systems. *Processes*, 12(1).
<https://doi.org/10.3390/pr12010021>
- Blis, J. P., & Chancey, E. (2010). The Effects of Alarm System Reliability and Reaction Training Strategy on Alarm Responses. *HUMAN FACTORS and ERGONOMICS SOCIETY 54th ANNUAL MEETING*, 2248–2252.
<https://doi.org/10.1177/154193120304701318>
- BN, P., et al. (2022). PreMa: Predictive Maintenance of Solenoid Valve in Real-Time at Embedded Edge-Level. In *Proceedings of ACM Conference (Conference'17)* (Vol. 1, Issue 1). Association for Computing Machinery.
<http://arxiv.org/abs/2211.12326>
- Butters, T. D., Stefan, G., & Shapiro, J. L. (2015). Detecting and Reducing Redundancy in Alarm Networks Timothy D . Butters , Stefan G `` Jonathan L . Shapiro Manchester Institute for Mathematical Sciences School of Mathematics The University of Manchester Detecting and Reducing Redundancy in Alarm Networks. *The University of Manchester*.
- Cloostermans, B.et al. (2025). Bolted Flange Connection Leakage : A Systematic Review of Monitoring Challenges. *IEEE Sensors Reviews*, 2(April), 1–16.
<https://doi.org/10.1109/SR.2025.3550861>
- Darmawi, H. (2022). Manajemen risiko. Bumi Aksara.
- Fajriyah, A. R. (2020). Proses Produksi Monosodium Glutamat (MSG) Di PT Ajinomoto Indonesia. In *Repository UPN Veteran Jawa Timur*.

- Febriani, F. A., & Ramli, A. H. (2023). Pengaruh Budaya Organisasi Terhadap Kinerja Karyawan Melalui Keterikatan Karyawan. *Jurnal Ilmiah Manajemen Kesatuan*, 11(2), 309–320. <https://doi.org/10.37641/jimkes.v11i2.1999>
- Firmansyah, D. D., Khambali, I., & Koerniasari, K. (2022). Analisis Risiko Pajangan Gas Ammonia (NH₃) Pada Pekerja Pabrik Ammonia I Pt. Petrokimia Gresik Ammonian 2019. *Jurnal Penelitian Kesehatan*, 20(3), 31–36. <https://doi.org/10.36568/jpk.v20i3.57>
- Gupta, S. (2020). Test-rig design for automated evaluation of automotive electro-chemical sensors. *University Of Gothenburg*.
- Indasah. (2021). Sistem Manajemen K3. In W. E. Putro (Ed.), *Strada Press* (1th ed.).<https://dewey.petra.ac.id/repository/jiunkpe/jiunkpe/s1/tmi/2019/jiunkpe-is-s1-2019-25414054-43295-hirarc-chapter2.pdf>
- Kartika, W. Y., Harsono, A., & Permata, G. (2016). Usulan Perbaikan Produk Cacat Menggunakan Metode Fault Mode and Effect Analysis dan *Fault Tree Analysis* Pada PT. Sygma Examedia Arkanleema. *Jurnal Online Institut Teknologi Nasional*, 4(1), 345–356.
- Khofifah Nur, S., & Veronica, R. (2024). Analisis Penerapan ISO 45001:2018 Terhadap Risiko Keselamatan dan Kesehatan Kerja Pada Karyawan di PT Moya Tangerang Tahun 2023. *Jurnal Persada Husada Indonesia*, 11(40), 16–29. <http://jurnal.stikesphi.ac.id/index.php/kesehatan>
- Kosdianti, L., & Sunardi, D. (2021). Pengaruh Pelatihan Terhadap Kinerja Karyawan Pada Pt. Satria Piranti Perkasa Di Kota Tangerang. *Jurnal Arastirma*, 1(1), 141–150. <https://doi.org/10.32493/arastirma.v1i1.10070>
- Kurnianto, K. D. (2023). *Usulan Pengendalian Risiko Kerja Di Ikm Wilonna*

Dengan Pendekatan Metode FMEA.

Kusumastuti, T., Eliza, C. P., Hanifah, A. N., & Choirala, Z. M. (2024). Identifikasi bahaya dan metode identifikasi bahaya pada proses industri dan manajemen risiko. *Environment Education and Conservation*, 1(1), 37–50. <https://doi.org/10.61511/educ.v1i1.2024.527>

Lalamafu, M. B. M. A. B. Y., Annasit, & Aprianto, T. S. (2024). Analisis Mitigasi Risiko Pada Primary Reformer Dengan Penerapan Bowtie Diagram Di PT TX. In *SNTEM* (Vol. 4).

Lang, Y., et al. (2025). A novel CFD-MILP-ANN approach for optimizing sensor placement, number, and source localization in large-scale gas dispersion from unknown locations. *Digital Chemical Engineering*, 14(December 2024), 100216. <https://doi.org/10.1016/j.dche.2024.100216>

Liang, H., et al. (2023). Pipeline Leakage Detection Based on Secondary Phase Transform Cross-Correlation. *Sensors*, 23(3). <https://doi.org/10.3390/s23031572>

Linawati, S. W. (2019). *Analisis Potensi Kebakaran Dan Ledakan Serta Kerugian Dengan Metode Dow'S Fire and Explosion Index Pada Primary Reformer 101-B di PT Pupuk Sriwidjaja Palembang*. repository.unsri

Liu, H., et al. (2025). Design and Implementation of an Ultra-Low-Power Hazardous Gas Monitoring System. *MDPI: Sensors*, 25, 2458. <https://doi.org/doi.org/10.3390/s25082458>

Mardlotillah, N. I. (2020). Manajemen Risiko Keselamatan dan Kesehatan Kerja Area Confined Space. *Higeia Journal of Public Health Research and Development*, 4(1), 315–327. <http://journal.unnes.ac.id/sju/index.php/higeia>

- Maruta, M. (2021). the Potential Use of a Dräger X-Am 8000 Portable Multi-Gas Detector for Monitoring Explosive Gases in the Area of Historical Oil and Gas Fields in the Podkarpacie Region. *Journal of Geotechnology and Energ*, 38(2), 5–14. <https://doi.org/10.7494/jge.2021.38.2.5>
- Masjuli, Taufani, A., & Kasim, A. A. (2019). Sistem Manajemen Keselamatan dan Kesehatan Kerja Berbasis SNI ISO 45001: 2018. In *Badan Standardisasi Nasional*. repository Perpustakaan bsn
- Novandhini, D. R., Mahfudz, M. A., & Paskarini, I. (2020). Risk Management in Work Activities at Ammonia Plant Fertilizer Production Industry. *The Indonesian Journal of Occupational Safety and Health*. <https://doi.org/10.20473/ijoshh.v9i2.2020.196-204>
- Nur, M., Suherman, & Aulia, Y. P. (2024). Integrasi Metode FMEA dan FTA dalam Strategi Mitigasi Risiko Kecelakaan Kerja (Studi Kasus : PT. Semen Padang). *Jurnal Teknologi Dan Manajemen Industri Terapan (JTMIT)*, 3(4), 393–404.
- Nuryono, A., et al. (2023). Analisis Kinerja Keselamatan Dan Kesehatan Kerja (K3) Pada Proses Produksi Saus Dengan Metode *Fault Tree Analysis*. *Jurnal Ilmiah Teknik Industri*, 11(2), 141–154.
- Pahlevi, R., & Dwi P. (2024). Manajemen Risiko Operasional Ammonia Recovery Plant di PLTU Paiton dengan Menggunakan Metode Risk Failure Mode & Effect Analysis dan *Fault Tree Analysis*. *Syntax Literate ; Jurnal Ilmiah Indonesia*, 9(8). <https://doi.org/10.36418/syntax-literate.v9i8>
- Pamungkas, T, & Safira, E. A. (2025). Health Risk Profile in An Ammonia-Based Fertilizer Plant Profil Risiko Kesehatan pada Pabrik Pupuk Berbasis Ammonia. *The Journal of Indonesian Industrial Hygiene Association*, 1, 24–

33.

Pramudya, L., Kumara, I, & Divayana, Y. (2024). Peranan Kalibrasi Pada Alat Ukur : Literature Review. *Majalah Ilmiah Teknologi Elektro*, 23(1), 37. <https://doi.org/10.24843/mite.2024.v23i01.p05>

Prastawa, H., et al. (2021). Peningkatan Kapabilitas Penyusunan Dokumen Sistem Manajemen K3 Berdasarkan Iso 45001:2018 Di Cv Javatech Agro Persada Pati. *Journal Community Service Consortium*, 2(1).

Prisilia, H. & Purnomo D., A. (2023). Manajemen Risiko K3 Dengan Metode *Failure Mode and Effect Analysis* (FMEA) Dan *Fault Tree Analysis* (FTA) Untuk Mengidentifikasi Potensi Dan Penyebab Kecelakaan Kerja (Studi Kasus: Tahap II Pembangunan Gedung Laboratorium DLH Banyuwangi). *Tekmapro : Journal of Industrial Engineering and Management*, 17(2), 73–84. <https://doi.org/10.33005/tekmapro.v17i2.299>

Purnasari, N. (2021). Metodologi penelitian. Guepedia.

Ramdani, M, Ramdani, S, & Vernando, V. (2023). Analisis Implementasi Sistem Manajemen Kesehatan dan Keselamatan Kerja (SMK3) Berdasarkan ISO 45001:2018 di Bengkel Mitsubishi Dipo Internasional Pahala Otomotif Serang City. *Jurnal Global Ilmiah*, 1(3), 199–206. <https://doi.org/10.55324/jgi.v1i3.34>

Ratriwardhani, R, Moch, S., & Sunaryo, M. (2024). An Analysis of Disaster Preparedness and Mitigation in Ammonia Loading Systems. *E3S Web of Conferences*, 482. <https://doi.org/10.1051/e3sconf/202448203005>

Rizky, N., & Sulistiyowati, W. (2023). Forklift Damage Analysis Using FMEA and FTA Methods At PT. Karya Mitra Teknik Sidoarjo. *Researchgate.Net*, 1–11.

<http://dx.doi.org/10.21070/ups.2745>

- Saeid, M. F., Abdilahi, I. H., & Ramli, A. (2022). Risk Assessment of Ammoina Storage Tank facility in a Fertilizer Production Plant Based on Bayesian Approach: A Case Study. *Journal of Global Scientific Research*, 7(2), 2022–2094. www.gsjpublications.com/jgsr
- Setyorini, R. (2010). *Gambaran Kebisingan Area Ammonia Dan Pengaruhnya Terhadap Tenaga Kerja di PT Pupuk Kujang Cikampek*.
- Sulistyo, J. D., & Suharyadi, H. (2024). Evaluasi sisa usia pada tangki cpu-t-1013/00 di pertamina menggung. *SNTEM*, 4, 112–119.
- Vorst, C., Priyastono, & Budiman, A. (2018). Manajemen Risiko Berbasis SNI ISO 31000. In W. S. S. Nasrudin Irawan, Mayastria Yekttiningtyas, Kristiati Andriani (Ed.), *Badan Standardisasi Nasional* (1th ed.). Badan Standardisasi Nasional (BSN).
- Wahyu, S., et al. (2024). Integrasi Metode FMEA Dan FTA Dalam Analisis Risiko Keselamatan Dan Kesehatan Kerja Di Bengkel Bubut. *Jurnal Teknologi Dan Manajemen Industri Terapan*, 3(I), 47–56.
- Wawi Putra, E., & Dharma Setiawan, J. (2021). Perancangan Sistem Wireless Sensor Network (Wsn) Untuk Monitoring Temperatur, Kelembaban, Dan Kadar Amonia Pada Kandang Ayam Model Closed-House. *Jurnal Teknik Mesin* S-1, 9(3), 361–366. <https://ejournal3.undip.ac.id/index.php/jtm/article/view/36620/28232>
- Wibowo, A. (2022). Resiko Manajemen. In *Manajemen resiko* (Vol. 1).
- Wijaya, E. (2022). Analisis Penggunaan Alat Pelindung Diri Dalam Menunjang Keselamatan Kerja di MT. Chem Finland. *Politeknik Ilmu Pelayaran*

Makassar, 1–73.

Yazdi, M., et al. (2023). *Fault Tree Analysis* improvements: A bibliometric analysis and literature review. *Quality and Reliability Engineering International*, 39(5), 1639–1659. <https://doi.org/10.1002/qre.3271>

Zakiyyah, F, Winoto, Y., & Rohanda, R. (2022). Pemetaan bibliometrik terhadap perkembangan penelitian arsitektur informasi pada Google Scholar menggunakan VOSviewer. *Informatio: Journal of Library and Information Science*, 2(1), 43. <https://doi.org/10.24198/inf.v2i1.37766>

Zheng, Q., et al. (2024). Analyzing the risk of the ammonia storage facility using extended FMEA model based on probabilistic linguistic GLDS method with consensus reaching. *International Journal of Hydrogen Energy*, 62, 1231–1244. <https://doi.org/10.1016/j.ijhydene.2024.03.103>

Zheng, Y., Zhou, Z., & Dai, R. (2019). Simulation and optimisation design of the solenoid valve. *The Journal of Engineering*, 2019(23), 8701–8705. <https://doi.org/10.1049/joe.2018.9087>