

DAFTAR PUSTAKA

- de Albuquerque Neto, F.R. *et al.* (2025) "Statistical Analysis of Temperature Sensors Applied to a Biological Material Transport System: Challenges, Discrepancies, and a Proposed Monitoring Methodology," *Processes*, 13(6). Available at: <https://doi.org/10.3390/pr13061904>.
- Bangkit Sanjaya Umbu, A. (2023) "Analisis Grafik Karakteristik Sensitivitas Sensor MQ-135 untuk Menentukan Persamaan Hubungan antara ppm dan Rs/Ro," *Jurnal Teori dan Aplikasi Fisika*, 11(02), pp. 49–60. Available at: <https://doi.org/10.23960/2fjtaf.v11i2.6656>.
- Bryan, F.L. and Lyon, J.B. (1984) "Critical Control Points of Hospital Foodservice Operations," *Journal of Food Protection*, 47(12), pp. 950–963. Available at: <https://doi.org/10.4315/0362-028x-47.12.950>.
- Choudhary, A. (2024) *Internet of Things: a comprehensive overview, architectures, applications, simulation tools, challenges and future directions*, Discover Internet of Things. Springer International Publishing. Available at: <https://doi.org/10.1007/s43926-024-00084-3>.
- Du, J. *et al.* (2022) "Nutritional Changes and Early Warning of Moldy Rice under Different Relative Humidity and Storage Temperature," *Foods*, 11(2), pp. 0–17. Available at: <https://doi.org/10.3390/foods11020185>.
- Elyounsi, A. and Kalashnikov, A.N. (2021) "Evaluating Suitability of a DS18B20 Temperature Sensor for Use in an Accurate Air Temperature Distribution Measurement Network †," *Engineering Proceedings*, 10(1). Available at: <https://doi.org/10.3390/ecsa-8-11277>.
- Fan, G. *et al.* (2015) "Large-scale wireless temperature monitoring system for liquefied petroleum gas storage tanks," *Sensors*, 15(9), pp. 23745–23762. Available at: <https://doi.org/10.3390/S150923745>.
- Fani Candra Kusuma, Nyoman Bogi Aditya Karna and Arif Indra Irawan (2024) "Analisis Perbandingan Quality," *Jurnal Nasional SAINS dan TEKNIK*, 2(1), pp. 16–22.
- Grafana, I.N. (2026) "Optimalisasi Monitoring Data IoT Menggunakan," 14(3), pp. 159–163.
- Guntur *et al.* (2022) "Gambaran Pelaksanaan Standar Pelayanan Minimal (SPM) Gizi Di BLUD Rumah Sakit Konawe Tahun 2022," *Jurnal Penelitian Sains dan Kesehatan Avicenna*, 1(3), pp. 29–38. Available at: <https://doi.org/10.69677/avicenna.v1i3.24>.
- Hendrawan, A. and Sari, N. (2020) "Analisis Keamanan Data dalam Proses Penerimaan TBS: Studi Kasus Sistem Manual vs Digital," *Jurnal Sistem Informasi*, 6(1), pp. 45–52.
- Imansyah, F. and Zafia, A. (2025) "Comparison Analysis of MQTT and HTTP Communication Protocol IOT Based on Website Node.js," *Jurnal Teknik Informatika Unika ST. Thomas (JTIUST)*, 10(02), pp. 243–253. Available at: <https://ejournal.ust.ac.id/index.php/JTIUST/article/view/5705>.
- Jayadipraja, E.A. *et al.* (2022) "Hazard Analysis and Critical Control Points at Hospitals: How applied in Kendari City, Indonesia," *Al-Sihah: The Public Health Science Journal*, 14(December), pp. 183–191. Available at: <https://doi.org/10.24252/al-sihah.v14i2.32919>.

Kurniawan, I.K.Y. *et al.* (2024) "Analisis Quality of Service Protokol MQTT, HTTP, dan CoAP dalam Pengiriman Data ke Thingsboard," *INFORMAL: Informatics Journal*, 9(1), p. 49. Available at: <https://doi.org/10.19184/isj.v9i1.43986>.

Lamberty, A. and Kreyenschmidt, J. (2025) "Technical, process-related and sustainability requirements for IoT-based temperature monitoring in fruit and vegetable supply chains," *Discover Food*, 5(1). Available at: <https://doi.org/10.1007/s44187-025-00427-1>.

Mansyur, M.F., Rustan, M.F. and Syarifuddin, W. (2022) "Pendeteksi Kesegaran Ikan menggunakan Sensor MQ-135," *Journal of Computer and Information System (J-CIS)*, 5(2), pp. 49–58. Available at: <https://doi.org/10.31605/jcis.v5i2.2405>.

Müller, W.A., Ferreira, S.B. and Botelho da Silva, S. (2026) "Enhancing Food Safety in the Cold Chain Through Internet of Things and Artificial Intelligence," *Journal of Food Science*, 91(2). Available at: <https://doi.org/10.1111/1750-3841.70871>.

Mulyawan, M.F., Batubara, M.A.M. and Pradipta, R.A. (2023) "Sistem Informasi Berbasis Web Untuk Memonitoring Perangkat Internet of Things (IoT) Menggunakan Node-Red," *Electrician : Jurnal Rekayasa dan Teknologi Elektro*, 17(1), pp. 31–36. Available at: <https://doi.org/10.23960/elc.v17n1.2410>.

Nanda, E. (2023) "Analisis Sistem Penyelenggaraan Makanan Di Instalasi Gizi Rumah Sakit Umum Daerah (Rsud) Kota Tangerang," *Jurnal Mitra Kesehatan*, 5(2), pp. 86–99. Available at: <https://doi.org/10.47522/jmk.v5i2.178>.

Nurhayati, N. *et al.* (2026) "Cold Chain Optimization in the Food Industry: Integration of IoT-Based Monitoring and Modified Atmosphere Packaging Using High-Barrier Mono-Material," *Indonesian Journal of Applied Technology*, 3(2), pp. 1–16. Available at: <https://journal.pubmedia.id/index.php/ijat/article/view/5707>.

Puspita, W.L., Prawiningdyah, Y. and Nisa, F.Z. (2010) "Penerapan Hazard Analysis Critical Control Point (HACCP) terhadap penurunan bahaya mikrobiologis pada makanan khusus anak berbasis hewani di Rumah Sakit Umum Daerah Dr. Soedarsono Pontianak," *Jurnal Gizi Klinik Indonesia*, 7(1), p. 8. Available at: <https://doi.org/10.22146/ijcn.17609>.

Richards, J., Parr, E. and Riseborough, P. (1993) "Hospital food hygiene: The application of hazard analysis critical control points to conventional hospital catering," *Journal of Hospital Infection*, 24(4), pp. 273–282. Available at: [https://doi.org/10.1016/0195-6701\(93\)90059-9](https://doi.org/10.1016/0195-6701(93)90059-9).

Rocha Ribeiro, R., Bauer, E. and Lameiras, R. (2021) "Higroterm: An open-source and low-cost temperature and humidity monitoring system for laboratory applications," *Inventions*, 6(4). Available at: <https://doi.org/10.3390/inventions6040084>.

Sethi, P. and Sarangi, S.R. (2017) "Internet of Things: Architectures, Protocols, and Applications," *Journal of Electrical and Computer Engineering*, 2017. Available at: <https://doi.org/10.1155/2017/9324035>.

Tangirbergen, A. *et al.* (2026) "Real-time detection of potato spoilage by gas sensor array coupled with microbiological analysis," *Lwt*, 239(December 2025), p. 118926. Available at: <https://doi.org/10.1016/j.lwt.2025.118926>.

Wahyuni, I.D., Lestari, D.A. and Azizah, R. (2019) "Implementation of hazard analysis critical control point (HACCP) in nutrition department of Hospital 'X', Batu city, Indonesia," *Malaysian Journal of Medicine and Health Sciences*, 15, pp. 56–59.

Wijayaningrum, V.N. and Wakhidah, R. (2023) "Monitoring Development Board based on InfluxDB and Grafana," 20(1), pp. 81–90. Available at: <https://doi.org/10.31515/telematika.v20i1.7643>.